

Index Fungorum no. 27

Effectively published 16/10/2013 16:41:00 (ISSN 2049-2375)

Nomenclatural novelties : Laurens B. Sparrius, John A. Elix & Alan W. Archer

Austrographa Sparrius, Elix & A.W. Archer, gen.nov.

IF550188

Chiodectonum et Enterographam similis est. Thallus non byssoideus, sine acidum roccellinum. Paraphysoides c. 1.0 µm lates, frequentem furcatae. Pseudostromata lirelliformes vel furcatae. Hypothecium atrum, excipulum hyalinum. Ascosporae 45–60 × 2.5–3.0 µm, 3-septatae.

Holotype: *Austrographa kurriminensis* Sparrius, Elix & A.W. Archer 2013.

A full description and illustrations have been published (Sparrius et al. 2010, Australasian Lichenology 67: 23-28)

Austrographa kurriminensis Sparrius, Elix & A.W. Archer, sp.nov.

IF550189

Species ad *Austrographa* pertinet. Thallus corticolus, sine acidis lichenis, epruinatus. Pseudostromata lirelliformes, non furcatae. Ascosporae 45–55 × 2.5–2.8 µm, 3-septatae.

Holotype BRI, Elix 38347.

A full description and illustrations have been published (Sparrius et al. 2010, Australasian Lichenology 67: 23-28)

Austrographa pseudopallidella Sparrius, Elix & A.W. Archer, sp.nov.

IF550240

Species ad *Austrographa* pertinet. Thallus corticolus, epruinatus, sine acidis lichenis. Pseudostromata lirelliformes, furcatae. Ascosporae 45–60 × 2.0–2.5 µm, 3-septatae.

Holotype BRI, Elix 38359.

A full description and illustrations have been published (Sparrius et al. 2010, Australasian Lichenology 67: 23-28)

Austrographa skyrinica Sparrius, Elix & A. W. Archer, sp.nov.

IF550241

Species ad *Austrographa* pertinet. Thallus corticolus, sine acidis lichenis, epruinatus. Pseudostromata lirelliformes, furcatae. Hypothecium cum skyrino. Ascosporae 45–55 × 2.5–3.0 µm, 3-septatae.

Holotype BRI, Elix 38393.

A full description and illustrations have been published (Sparrius et al. 2010, Australasian Lichenology 67: 23-28)